

SAFETY DATA SHEET

1. Identification

Product identifier	ARSENAL RECOAT PREP	
Other means of identification		
SDS number	538N-90A	
Product code	HIL00834	
Recommended use	Stripper	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/ Manufacturer	Distributor information	
Manufacturer		
Company name Address	HILLYARD INDUSTRIES 302 North Fourth St. St. Joseph, MO 64501	
Contact person Telephone number Fax E-mail	Regulatory Affairs (816) 233-1321 (Ext. 8285) (816) 383-8485 regulatoryaffairs@hillyard.com	
Emergency telephone #	(800) 424-9300 (Only in the event of chemical emergency invo or accident involving chemicals.)	lving a spill, leak, fire, exposure,
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 5
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
	L Contraction of the second se	
Signal word	Danger	
Hazard statement	May be harmful if swallowed. Causes skin irrita	ation. Causes serious eye damage.
Precautionary statement		

Signal word	Danger
Hazard statement	May be harmful if swallowed. Causes skin irritation. Causes serious eye damage.
Precautionary statement	
Prevention	Wash thoroughly after handling. Wear protective gloves. Wear eye/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Store away from incompatible materials.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethanol, 2-amino-		141-43-5	3 - < 5
Silicic acid, Sodium Salt		6834-92-0	3 - < 5
Tetrasodium ethylenediamine tetraacetate		64-02-8	3 - < 5
Other components below reportable le	evels		80 - < 90

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth thoroughly. If swallowed, do NOT induce vomiting.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog, Foam, Dry chemical powder, Carbon dioxide (CO2).

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling.

Conditions for safe storage,
including any incompatibilitiesStore in
of the Store Store

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Ethanol, 2-amino- (CAS 141-43-5)	PEL	6 mg/m3
,		3 ppm
US. ACGIH Threshold Lim	it Values	
Components	Туре	Value
Ethanol, 2-amino- (CAS 141-43-5)	STEL	6 ppm
,	TWA	3 ppm
US. NIOSH: Pocket Guide	to Chemical Hazards	
Components	Туре	Value
Ethanol, 2-amino- (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	8 mg/m3
		3 ppm
logical limit values	No biological exposure limits noted	for the ingredient(s).
oropriate engineering itrols	should be matched to conditions. If or other engineering controls to main exposure limits have not been estab	0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation ntain airborne levels below recommended exposure limits. blished, maintain airborne levels to an acceptable level. Eye rer must be available when handling this product.
ividual protection measures	s, such as personal protective equipr	nent
Eye/face protection	Chemical safety goggles when work	ing with concentrate.
Skin protection		
Hand protection	Use protective gloves when dealing	with the concentrate.
Other	Impervious boots and aprons where uniforms or coveralls.	splashing of concentrate is a problem; otherwise, use
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.	
Thermal hazards	None known.	
neral hygiene nsiderations	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

9. Physical and chemical properties

Appearance	Clear, colorless liquid
Physical state	Liquid.
Form	Liquid.
Color	Colorless
Odor	non-objectionable odor
Odor threshold	Not available
рН	13 - 14
Melting point/freezing point	Not applicable / Not available

Initial boiling point and boiling range	206 °F (96.67 °C)
Flash point	> 206.0 °F (> 96.7 °C) Tag Closed Cup
Evaporation rate	< 1 (ethyl ether = 1)
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	17.2 mm Hg
Vapor density	0.7 Air =1
Relative density	1.07 at 77°F
Solubility(ies)	
Solubility (water)	Appreciable
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Other information	
Density	8.95 lb/gal
Percent volatile	82 - 83 %
VOC (Weight %)	5 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Reacts violently with strong acids. This product may react with oxidizing agents. Do not mix with other chemicals. Contact with incompatible materials.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.	
Skin contact	Causes skin irritation.	
	Prolonged or repeated exposure may cause liver an been observed in humans.	nd kidney damage. These effects have not
Eye contact	Causes serious eye damage.	
Ingestion	May be harmful if swallowed.	
Symptoms related to the physical, chemical and toxicological characteristics	Symptoms may include stinging, tearing, redness, s damage including blindness could result. Skin irritat	
Information on toxicological eff	fects	
Acute toxicity	May be harmful if swallowed.	
Product	Species	Test Results
ARSENAL RECOAT PREP		
Acute		
Dermal		
LD50	Rabbit	95200 ml/kg estimated

Material name: ARSENAL RECOAT PREP

Product	Species	Test Results
		20551.3789 mg/kg estimated
Inhalation		
LC50	Mouse	2688.3118 mg/l, 4 Hours estimated
		2597.4026 mg/l, 2 Hours estimated
	Rat	5324.6753 mg/l, 0.5 Hours estimated
		3116.8831 mg/l, 4 Hours estimated
Oral		
LD50	Guinea pig	12340.2168 mg/kg estimated
	Mouse	10905.8154 mg/kg estimated
	Rat	31049.5781 mg/kg estimated
Components	Species	Test Results
Ethanol, 2-amino- (CAS 141-43-5)	
Acute		
Dermal		
LD50	Rabbit	1025 mg/kg
Oral		
LD50	Guinea pig	620 mg/kg
	Mouse	700 mg/kg
	Rat	10.2 g/kg
Fetrasodium ethylenediamine tetr	aacetate (CAS 64-02-8)	
Acute		
Oral LD50	Rat	> 2000 mg/kg
LDOU		2000 mg/ng
* Estimates for product may b	be based on additional component data no	t shown.
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye rritation	Causes serious eye damage.	
Respiratory or skin sensitizatio		
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause sl	
Germ cell mutagenicity	No data available to indicate product or mutagenic or genotoxic.	any components present at greater than 0.1% are
Carcinogenicity	This product is not considered to be a c	arcinogen by IARC, ACGIH, NTP, or OSHA.
US. OSHA Specifically Reg Not listed.	ulated Substances (29 CFR 1910.1001-1	050)
Reproductive toxicity	This product is not expected to cause re	productive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Prolonged inhalation may be harmful.	
Chronic effects	Prolonged inhalation may be harmful. N	ay be harmful if absorbed through skin.
	Prolonged or repeated exposure may ca been observed in humans.	ause liver and kidney damage. These effects have no

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
ARSENAL RECOAT PREF)		
Aquatic			
Crustacea	EC50	Daphnia	59437.2031 mg/l, 48 hours estimated
Fish	LC50	Fish	8347.2861 mg/l, 96 hours estimated
Components		Species	Test Results
Ethanol, 2-amino- (CAS 14	1-43-5)		
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	114 - 196 mg/l, 96 hours
* Estimates for product ma	y be based on	additional component data not shown.	
rsistence and degradability	y No data i	s available on the degradability of this prod	luct.
oaccumulative potential	No data available.		
Partition coefficient n-oc Ethanol, 2-amino-	tanol / water ((log Kow) -1.31	
obility in soil	No data available.		
her adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
3. Disposal considerat	ions		
sposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
cal disposal regulations	Dispose in accordance with all applicable regulations.		
zardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste		

 Hazardous waste code
 The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

 Waste from residues (unused)
 Disposal company.

Waste from residues / unused
productsDispose of in accordance with local regulations. Empty containers or liners may retain some
product residues. This material and its container must be disposed of in a safe manner (see:
Disposal instructions).Contaminated packagingEmpty containers should be taken to an approved waste handling site for recycling or disposal.
Since emptied containers may retain product residue, follow label warnings even after container is

14. Transport information

DOT

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List or Exempt.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

emptied.

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - Yes

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. Massachusetts RTK - Substance List Ethanol, 2-amino- (CAS 141-43-5)

US. New Jersey Worker and Community Right-to-Know Act

Ethanol, 2-amino- (CAS 141-43-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Ethanol, 2-amino- (CAS 141-43-5)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

On inventory (yes/no)*

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	03-18-2015
Version #	01
HMIS® ratings	Health: 3 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.