

# Safety Data Sheet GROUT REFRESH

Safety Data Sheet dated: 8/14/2016 - version 4

Date of first edition: 5/28/2015

#### 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: GROUT REFRESH

Recommended use of the chemical and restrictions on use

Recommended use: Colorant Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

## **Emergency 24 hour numbers:**

(USA) CHEMTREC 1-800-424-9300 (Canada) CANUTEC 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION



#### Classification of the chemical

Skin Sens. 1 May cause an allergic skin reaction.

#### **Label elements**

## Symbols:



Warning

0-4-	Dagadatian
Code	Description

H317 May cause an allergic skin reaction.

Code Description

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261.A Avoid breathing dust or mist.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352.A IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321.A Specific treatment (see supplementary instructions on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501.A Dispose of contents/container in accordance with applicable regulations.

## Ingredient(s) with unknown acute toxicity:

None

## Hazards not otherwise classified identified during the classification process:

None

This product contains titanium dioxide which IARC has classified as a Group 2B carcinogen (possibly carcinogenic to humans). Evidence is based on sufficient animal testing as a result of long-term inhalation at high concentrations of respirable amounts of titanium dioxide. Because this product is in liquid or paste form, it does not pose a dust hazard; therefore, this classification is not relevant. (Note: sanding of the hardened product may create a dust hazard)

Date 8/14/2016 Production Name GROUT REFRESH Page n. 1 of 7

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

N.A.

#### **Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Quantity	Name	Ident. Numb.	Classification
10-25 %	Titanium dioxide	CAS:13463-67-7	Carc. 2, H351
0.49-1 %	2,4,7,9-tetramethyl-5-Decyne-4,7-diol	CAS:126-86-3	Eye Dam. 1, H318; Aquatic Chronic 3, H412; Skin Sens. 1, H317
0.1-0.25 %	Octhilinone	CAS:26530-20-1 EC:247-761-7 Index:613-112-00-5	Skin Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 3, H311; Acute Tox. 3, H331; Acute Tox. 4, H302

## 4. FIRST AID MEASURES

## **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## Most important symptoms/effects, acute and delayed

N.A.

## Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 5. FIRE-FIGHTING MEASURES

# **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

## Unsuitable extinguishing media:

None in particular.

## Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke. Hazardous combustion products: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

## Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## **6. ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

## Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Date 8/14/2016 Production Name GROUT REFRESH Page n. 2 of 7

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

#### Conditions for safe storage, including any incompatibilities

Storage temperature: N.A. Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

#### List of components with OEL value

Component	OEL Type Country	Ceiling	Long Term mg/m3	Long Term ppm	mg/m3	Short Term ppm	Benaviour	Note
Titanium dioxide	OSHA		15					
	ACGIH		10					A4 - Not Classifiable as a Human Carcinogen;lower respiratory tract irritation;

# Appropriate engineering controls: N.A. **Individual protection measures**

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

N.A.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: pigmented

Odour: characteristic Odour threshold: N.A.

pH: N.A.

Melting point / freezing point: N.A.
Initial boiling point and boiling range: N.A.

Flash point: >100 °C (212 °F)

Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A. Vapour pressure: N.A. Relative density: 1.25 g/cm3 Solubility in water: N.A. Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A.
Oxidizing properties: N.A.
Solid/gas flammability: N.A.

## Other information

Substance groups relevant properties: N.A.

Miscibility: N.A.
Fat Solubility: N.A.
Conductivity: N.A.

## 10. STABILITY AND REACTIVITY

## Reactivity

Date 8/14/2016 Production Name GROUT REFRESH Page n. 3 of 7

Stable under normal conditions

## **Chemical stability**

Data not Available.

#### Possibility of hazardous reactions

None.

#### **Conditions to avoid**

Stable under normal conditions.

## **Incompatible materials**

None in particular.

#### Hazardous decomposition products

None.

#### 11. TOXICOLOGICAL INFORMATION

## Information on toxicological effects

#### Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

## Toxicological information on main components of the mixture:

Titanium dioxide a) acute toxicity LD50 Oral Rat > 10000mg/kg

Octhilinone a) acute toxicity LD50 Oral Rat 550mg/kg

LD50 Skin Rabbit 690mg/kg

## If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

# Substance(s) listed on the IARC Monographs:

Titanium dioxide Group 2B

# Substance(s) listed as OSHA Carcinogen(s):

Titanium dioxide

## Substance(s) listed as NIOSH Carcinogen(s):

Titanium dioxide

#### Substance(s) listed on the NTP report on Carcinogens:

None

## 12. ECOLOGICAL INFORMATION

#### Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

# List of Eco-Toxicological properties of the product

No Data Available

# Persistence and degradability

N.A.

## **Bioaccumulative potential**

N.A.

# Mobility in soil

Date 8/14/2016 Production Name GROUT REFRESH Page n. 4 of 7

#### Other adverse effects

N.A.

#### 13. DISPOSAL CONSIDERATIONS

## **Waste treatment methods**

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

#### 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

#### **UN** number

ADR-UN number: N.A. DOT-UN Number: N.A. IATA-Un number: N.A. IMDG-Un number: N.A.

## UN proper shipping name

ADR-Shipping Name: N.A.
DOT-Proper Shipping Name: N.A.
IATA-Technical name: N.A.
IMDG-Technical name: N.A.

# Transport hazard class(es)

ADR-Class: N.A.
DOT-Hazard Class: N.A.
IATA-Class: N.A.
IMDG-Class: N.A.

## **Packing group**

ADR-Packing Group: N.A. DOT-Packing group: N.A. IATA-Packing group: N.A. IMDG-Packing group: N.A.

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: N.A.

## Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

## **Special precautions**

Department of Transportation (DOT):

N.A.

Road and Rail (ADR-RID):

N.A.

Air (IATA):

N.A.

Sea (IMDG): N.A.

# 15. REGULATORY INFORMATION

## **USA - Federal regulations**

# TSCA - Toxic Substances Control Act

TSCA inventory:

All the components are listed on the TSCA inventory

## TSCA listed substances:

Titanium dioxide is listed in TSCA Section 8b
2,4,7,9-tetramethyl-5-Decyne-4,7-diol is listed in TSCA Section 8b
Octhilinone is listed in TSCA Section 8b

# **SARA - Superfund Amendments and Reauthorization Act**

Section 302 - Extremely Hazardous Substances:

no substances listed

Section 304 - Hazardous substances:

Date 8/14/2016 Production Name GROUT REFRESH Page n. 5 of 7

#### Section 313 - Toxic chemical list:

no substances listed

## CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

## Substance(s) listed under CERCLA:

no substances listed

#### CAA - Clean Air Act

#### **CAA listed substances:**

no substances listed

#### **CWA - Clean Water Act**

#### CWA listed substances:

no substances listed

## **USA - State specific regulations**

## **California Proposition 65**

Substance(s) listed under California Proposition 65:

Titanium dioxide Listed as carcinogen

## Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

Titanium dioxide

## Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

Titanium dioxide

# New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

Titanium dioxide

# **Canada- Federal regulations**

## **DSL - Domestic Substances List**

DSL Inventory:

All the substances are listed in the DSL.

#### **NDSL - Non Domestic Substances List**

NDSL Inventory:

no substances listed

# **NPRI - National Pollutant Release Inventory**

Substances listed in NPRI:

no substances listed

# **16. OTHER INFORMATION**

Description

Code

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H351	Suspected of causing cancer .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Date 8/14/2016 Production Name GROUT REFRESH Page n. 6 of 7

H412

Harmful to aquatic life with long lasting effects.

Safety Data Sheet dated: 8/14/2016 - version 4

Product code: 3840021

#### Additional classification information



HMIS Health: 1 = Slight

HMIS Health - Is health hazard chronic?: Yes HMIS Flammability: 1 = Combustible if heated

HMIS Reactivity: 0 = Minimal HMIS P.P.E.: Safety glasses, gloves

NFPA Health: 1 = Slight

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: N.A.

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

# Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
WGK: German Water Hazard Class.

KSt: Explosion coefficient.

# Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 16. OTHER INFORMATION

Date 8/14/2016 Production Name GROUT REFRESH Page n. 7 of 7